

AMENDMENT OF SOLICITATION

1. AMENDMENT NO. 03	2. EFFECTIVE DATE – 10/20/2026	3. PAGE 1 of 1
4. ISSUED BY: Southern Ohio Cleanup Company LLC P.O. Box 368 3930 US Route 23 South Piketon, OH 45661		
5. NAME AND ADDRESS OF CONTRACTOR (<i>Name, street, county, state & zip code</i>) All Offeror(s)	6. AMENDMENT OF (RFP) SOLICITATION NO. SOCCo26SC55842	DATE 09/24/2026
7. The above numbered solicitation is amended as set forth in Item 8. The hour and date specified for receipt of Offers <u> X </u> is extended <u> </u> is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 5 and 9, and returning one (1) copy of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or e-mail which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGEMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by e-mail or letter, provided each e-mail or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.		
8. DESCRIPTION OF AMENDMENT Except as provided herein, all terms and conditions of the document remain unchanged and in full force and effect. Section L.3 has been updated. New Proposal Due Date is Wednesday, October 28, 2026 @ 1:00 PM See attached Question & Answer dated 10/20/2026 which adds Questions and the associated Answers.		
9A. NAME AND TITLE OF SIGNER (<i>Type or print</i>)	10A. Southern Ohio Cleanup Company LLC Dwayne Newsom – Contract Specialist	
9B. CONTRACTOR/OFFEROR _____ (<i>Signature of person authorized to sign</i>)	9C. DATE SIGNED _____	DWAYNE NEWSOM (Affiliate) Digitally signed by DWAYNE NEWSOM (Affiliate) Date: 2026.10.20 14:49:20 -04'00' 10C. DATE SIGNED 07/23/2026

	Questions	Answers
1	What will the downstream requirements be for data and characterization?	The contractor should provide data and characterization sufficient to meet the intended TSDF Waste Acceptance Criteria.
2	How will the Contractor process any physical samples? Will SOCCo process the samples via the current ARS Lab, or will the Contractor be responsible to package and send those out?	The contractor should accept responsibility and ownership of the materials/waste, including sampling to support their characterization – contractor should package and ship samples.
3	What types and quantities of chemicals will be involved in the project and what are the release requirements?	Refer to B.2 Chemical List provided in the Contract. 29CRF OSHA required Chemical Inventory will be available in a Task Order upon award of contract.
4	The solicitation identifies NAICS 562910, <i>Remediation Services</i> , with a \$25 million small business size standard. However, the SOCCo prime contract under which this work is being performed is competed under the exception for NAICS 562910 – <i>Environmental Remediation Services</i> , which carries a 1,000 employee-based size standard. Given that this IDIQ for Chemical Removal activities supports environmental remediation and cleanup activities performed under the prime contract, would SOCCo consider revising this solicitation to apply the same <i>Environmental Remediation Services</i> exception under NAICS 562910, with the corresponding 1,000-employee small business size standard? (Note this question was submitted previously on Wednesday September 30.)	No, There will be no exceptions.
5	1. Solicitation Section B.2 (pages 7 through 9) requests hourly rates and travel cost for a Project Manager, Labpack Chemist, Treatment Technician, and Health & Safety. The three key personnel listed in Section L.1(b).2 (page 111) are: Project Manager, Onsite Superintendent, and Health/Safety/Environmental Representative. Questions: Will SOCCo add the Onsite Superintendent position to the Pricing Schedule in Section B.2? Is "Health & Safety" in Section B.2 equivalent to the key person Health/Safety/Environmental Representative?	On-Site Superintendent will be removed from the Key Personnel. Yes, Health & Safety is the equivalent to the Health/Safety/Environmental Representative in the Key Personnel.
6	1. The "B.2 Chemical List.xlsx" pricing states that the rates are "All Inclusive Unit," to include handling, packaging, transportation, and final disposal of chemicals. Please confirm that SOCCo does not want these items broken out.	Yes, Please provide a broken out list.
7	Please confirm the pre-bid meeting was mandatory for offerors to attend, either virtually or in person, in order to submit an offer.	No, the Pre-Bid meeting is not mandatory for offerors to be able to submit an offer.
8	Do the Labpack Chemist and the Treatment Technician positions (mentioned in solicitation Section B.2, pages 7 through 9) have minimum qualification requirements?	No, only Key Personnel.
9	In the pre-bid meeting it was stated that a resource-loaded schedule was required, but the solicitation indicates a Critical Path Method (CPM) schedule in Section L.1(b)(iii). Please confirm the required schedule format.	It will be a Critical Path Method.
10	H.60 Labor Harmony & Disputes; J-9 and J-17: J-9 (GPPMA) and J-17 (SCA Wage Determination 2015-4771) are both attached. Has the Company determined under H.60(c) that work under this subcontract must be performed in accordance with the GPPMA? If so, does it apply to all B.2 labor categories or only specific crafts?	This is a SCA Wage Determination contract.
11	B.2 Contract Ceiling Price; L.1(b)(ii) Key Personnel: L.1(b)(ii) lists Onsite Superintendent as a key position, but B.2 has no Superintendent labor category. Under which category should it be priced and billed? Should the full-time OS&H Representative required by J-13, Section 3.3, be priced under Health & Safety?	Refer to Question 5.
12	B.2 Contract Ceiling Price: B.2 has no Radiological Control Technician category. Will the Company provide RCT coverage, external dosimetry, bioassay, and site-specific Radiological Worker training?	Yes, Company will provide Rad Tech coverage, dosimetry, bioassay, etc.
13	B.2 Contract Ceiling Price: To support labor rate development, can the Company share historical task order volume, typical crew size, and typical task duration under the current contract?	No.
14	C 3.2.7: Please identify the specific license(s) meant by "Licenses for Chemical Removal Contractor." Will subcontractor personnel perform radiological work under the Company's 10 CFR 835 Radiation Protection Program, such that no NRC or Agreement State license is required?	The Subcontract will fall under SOCCo's Radiation Protection Program.
15	C 1.0 Project Description: Will any task orders be performed within areas of the site operated under an NRC license?	No. We currently don't do anything with NRC License
16	C 6.2.11 Radiological Monitoring for Construction Tools/Equipment: If subcontractor equipment cannot be radiologically released, is the cost of decontamination or replacement reimbursable?	If equipment other than small tools is unable to be free-released, the contractor shall provide a Section H.5 Notice, and a fair and reasonable determination will be made by the Contracting Officer regarding reimbursement for the equipment.
17	L.24 Facility Clearance: Is a Facility Clearance or SF 328 (FOCI) submission required? If so, must it be submitted with the proposal?	Can be escorted.
18	B.2 Chemical List: For the Radiological unit prices, what isotopes and activity levels should offerors assume? Should prices assume LLW, MLLW, or both?	Our typical radiological isotopes including ISO-U, Tc-99, ISO -Th, Transuranic, and other ancillary nuclides resulting from the decay chain of the Uranium Enrichment process. The max enrichment is capped at 97%, however based on a 5-year rolling average, material generated from a process building (X-330, X-345, X-705) has an average assay of 4.94%, while the BOP facilities have an average assay of 3.55%.

19	B.2 Chemical List: The Total row sums both the Radiological and Non-Radiological columns. Please confirm both columns must be priced for every category and both are included in the evaluated price.	To ensure a comprehensive evaluation can be conducted to find bidders technically acceptable, all pricing shall be provided. Both the Radiological and Non-Radiological columns must be completely priced for every category, as both columns are included in the overall evaluated price.
20	B.2 Chemical List: What analyses are included in the per-sample rate for Sampling, Analysis & Characterization of Unknown Chemicals?	Typical analysis of unknowns include Radiological constituents (nuclides mentioned above), hazardous constituents including RCRA Metals, VOC, SVOCs, Herbicides, PCBS, pH.
21	C 1.0 Project Description: For CERCLA waste shipped off site, will the Company or DOE sign as generator? If the subcontractor treats or disposes of LLW or MLLW, may it order under the DOE EM basic ordering agreements?	Contractor will sign as the generator and shipper.
22	M.3(c) and L.1(b)(iii) Schedule: M.3(c) requires the schedule to follow the Milestone Schedule in Section C, but Section C has none. Since task orders are not yet defined, what should the CPM schedule cover?	Regarding the discrepancy between Section M.3(c) and Section L.1(b)(iii), it is confirmed that the specific Critical Path Method (CPM) schedule requirements will be determined at the Task Order level.
23	Please verify that in the "B.2 Chemical List.xlsx", pricing should be included for an estimated 50 pounds of each type of solid waste and 50 gallons of each type of liquid waste. Or, is the unit based on the number of drums estimated? If so, what is the drum size?	Regarding the pricing structure in the "B.2 Chemical List.xlsx", the 50 represents an estimated quantity. All values shall be priced at the per pound rate for solid waste and the per gallon rate for liquid waste. Pricing is not based on the number or size of drums.
24	Do the chemicals in the "B.2 Chemical List.xlsx" assume bulk or labpack loading for pricing?	Rates provided in B.2 should be an All Inclusive Price/Unit to for handling, packaging, transportation and final disposal of chemicals.
25	What specific "Chemical Removal Contractor" license(s) are required? Please identify the issuing authority, acceptable equivalent credentials, and whether the requirement may be satisfied by an approved subcontractor.	See question 14.
26	Please provide the minimum experience and training requirements for the required key personnel positions (Project Manager, Onsite Superintendent, and Health/Safety/Environmental Representative).	The minimum qualifications are listed in the contract under M.3 (b) Key Personnel and Qualifications .
27	Are offerors expected to provide treatment/disposal directly, or may they use permitted TSDF and transportation subcontractors?	You can use a permitted TSDF or transport - but those sub-tier contractors are held to the same certifications and standards, including CERCLA Vetting of the TSDF during the timeframe of the waste receipt.
28	May past performance of a proposed subcontractor satisfy the requirement for two similar completed projects and the stated five years of relevant experience?	Past performance and project experience of a proposed subcontractor may be utilized to satisfy the requirement for similar completed projects and relevant experience. However, the proposal must clearly delineate which entity performed the referenced work. The evaluation will look at the capability of the team as a whole to ensure the proposed execution structure is technically acceptable.
29	Does "minimum of five years of experience with relevant Chemical Removal projects" mean firm experience, personnel experience, or a combination?	The five-year experience requirement may be satisfied through a combination of firm corporate experience and key personnel experience. Bidders must clearly identify in their proposal who the experience belongs to. SOCCo will evaluate the collective depth of this experience to determine if the bidding team is technically acceptable to perform the scope of work safely and effectively.

30	How will SOCCo define "similar" scope, hazard, cost, and complexity? Is radiological or mixed-waste experience required, preferred, or merely relevant?	Regarding radiological or mixed-waste experience, it is highly preferred but not a mandatory requirement for bidders. To maximize competition and ensure all qualified bidders are considered, teams lacking direct radiological experience will be evaluated as technically acceptable provided they partner with an approved, permitted subcontractor or propose key personnel who possess documented experience working within radiologically controlled environments.
31	Please identify the "Milestone Schedule included in Section C." The uploaded SOW contains task-order scheduling requirements but no milestone schedule.	See Question 22.
32	Is an Ohio electrical-contractor license required at proposal submission only when an offeror anticipates electrical work, or for all awardees regardless of task-order scope?	It is only required if an offeror's specific technical approach anticipates self-performing major electrical infrastructure modifications. If electrical work is required during a future task order, an awardee may satisfy this requirement at the task-order level by utilizing an approved, licensed Ohio electrical subcontractor.
33	Are hourly rates fixed for all five periods with no escalation, and must the proposed 15% non-labor markup remain fixed throughout the contract?	Labor rate sheets are provided within the RFP for bidders to input their own self-determined escalation across the five contract periods. Offerors should calculate and build any anticipated inflation or labor market adjustments directly into those period-specific sheets.
34	How will SOCCo evaluate pricing for chemical packaging/disposal when the chemical list, quantities, and task-order mix are uncertain?	The markup for non-labor items that may be required is strictly set at 15% and must remain fixed throughout the entire life of the contract.
35	What EVM format, reporting tool, and baseline thresholds will apply to task orders?	Yes
36	Attachment J-25, Work Plan Format: Please confirm which initial submittals must be included with the proposal versus furnished after award.	No Submittals need to be submitted with the Proposal. The J-8 provides all the Submittals that will need to be provided after Award.
37	What is the expected duration and sequencing for badging, medical clearance, drug screening, radiological training, and site access?	2 Weeks
38	May subcontractor additions be proposed after award for task-order-specific specialty needs, subject to SOCCo approval?	Yes, these will be based on the contracts proposed needs.
39	Does SOCCo intend to make multiple IDIQ awards? If so, how will task orders be competed or allocated among awardees?	Undetermined at this time.
40	When will the maximum ordering value be established, and is there an anticipated annual or total workload range?	At time of award.
41	At what point does title/risk transfer for chemical waste, and what manifests, approvals, and acceptance documentation will SOCCo provide?	SOCCo will provide information on Chemicals. Title/Risk transfer will take place once the contractor accepts each chemical. The contractor is also responsible for providing SOCCo with a Certificate of Disposal/Treatment/Management once you receive these certificates..
42	May the Offeror rely on relevant projects performed by an affiliate or a proposed subcontractor where that entity will have meaningful responsibility in contract performance? If so, what relationship, commitment, and project documentation must be provided?"	Yes the prime may use relevant projects performed by an affiliate or proposed Subcontractor. But, the Prime must also be able to provide similar contract performance.
43	Will comparable DOE radiological-waste work—including chemical/radiological characterization, packaging, shipment, transportation, treatment, and disposal—meet the definition of 'similar projects,' even if it was not identified as 'chemical removal'?	SOCCo is willing consider any and all Chemical Projects that are similar.
44	Please identify the specific license, credential, issuing authority, and acceptable equivalent required by SOW §3.2.7, and whether an approved subcontractor may satisfy it.	See question 14.
45	Will SOCCo provide existing waste profiles, characterization data, and approved disposal paths with each task order, or must the contractor independently develop and procure each element?	The contractor will need to independently develop and procure each element. Unless, otherwise given guidance by SOCCo's Technical Team.

46	Do Past Performance projects need to be 100% complete? If active projects are allowed, what % complete is required?	No. But active projects need to be over 50% complete and be in good standing.
47	Does the Offeror need to currently hold an active FOC?	No